

**DESCRIPTION DES ESPÈCES DE REPTILES EXOTIQUES ENVAHISSANTES
DES PETITES ANTILLES**



Anolis wattsii

(Boulenger, 1894)

Nom local: Watts' anole

Ordre : Squamata, Famille : Dactyloidae

Description

Morphology. Medium sized anole. The body colour is brown or olive, with or without darker transversal stripes. The head is reddish, with bluish marks. The ventral side varies from beige to yellow, and the dewlap from white to yellow, to orange.

Standard body size (snout-vent length). males: 39 to 58 mm; females: 36 to 46 mm.

Sexual dimorphism. Only males have a dewlap.

Females are darker than males, with brown-grey body colour, and may present light stripes in the middle of the back and on the flanks.

Variations. The body colour of the same individual can vary from light to dark, depending on its physiological condition.

Possible confusion with other species.

Distribution

Native. Antigua (including satellite islets).

Introduced. Caribbean: Saint Lucia (Daltry, 2009; Krauss, 2010), Trinidad (White and Hailey, 2006; Fiji and Auguste, 2017).



Biology and ecology

Habitat. *Anolis watsii* is able to inhabit most Caribbean terrestrial habitats, from the coastal environments to humid highland forests. The species is also observed in anthropized habitats (Daltry, 2009).

Diet. Insectivore and frugivore (Daltry, 2009).

Reproduction. Reproduction happen throughout the year. The female lays a single egg at one or two weeks intervals (Daltry, 2009).

Behaviour. Males may extend their dewlap in order to defend their territory, or when looking for a breeding partner.

Impact and management of introduced populations

Impact. In Saint Lucia, the presence of *Anolis watsii* resulted in a reduced populations of the native species, *A. luciae* (Williams et al., 2019).

Management. To date, no targeted control measures have been established in the different regions where the species has been introduced.

Bibliography

- Daltry, J. C. (2009). The status and management of Saint Lucia's forest Reptiles and Amphibians.
- Fiji, A., & Auguste, R. J. (2017). New localities for the introduced *Anolis watsii* (Squamata: Dactyloidae) on Trinidad, West Indies. *Living World*, 51.
- Krauss, U. (2010). Critical Situation Analysis (CSA) of Invasive Alien Species (IAS) status and management, Saint Lucia, 2010. Health (San Francisco).
- White, G. L., & Hailey, A. (2006). The establishment of *Anolis watsii* as a naturalized exotic lizard in Trinidad. *Applied Herpetology*, 3, 11–26.
- Williams, R. J., Morton, M. N., Daltry, J. C., & Toussaint, A. (2019). The distribution of non-native *Anolis* lizards on Saint Lucia, Lesser Antilles. *Caribbean Journal of Science*, 49, 281.